

The LumiBright logo is positioned in the top right corner. It features the word "Lumi" in a black, sans-serif font, followed by "Bright" in a red, sans-serif font. A thin red arc is positioned above the "i" in "Bright". The background of the entire page is a grayscale photograph of a dining table with white plates, silverware, and a glass, with several semi-transparent red rectangular overlays of varying sizes and orientations scattered across it.

**LumiBright**

# **PRODUCT CATALOGUE**

**VOLUME 5.0**

# INTRODUCTION

Lumi Bright Sdn. Bhd. is established in 2005, started with our first office in Penang and later expanding to Kuala Lumpur and Melaka. We offer end-to-end services from sales, consult, supply, installation & commissioning, servicing & maintenance of wide range of safety products and equipments. We have a complete line of work zone products for traffic management, personal protective equipment, safety signage, and plastic/metal fabrication work to suit customers' need.

We are also managing and distributing some prominent brands like Safety Jogger®, 3M®, SecaTRACT™, SkidGARD™ and ArtiGrass™. We focus ourselves in serving end user, industrial and construction segments within our immediate geographical focus within Malaysia and eyeing into venturing overseas market in the near future.

In 2014, Lumi Bright Sdn. Bhd. was awarded with SME YOUNG ENTREPRENEUR AWARD and GOLDEN EMERGING EAGLE AWARD. Both awards have proven that our effort in continuous improvement and innovation in our service and product lineup, timely delivery and also maintaining above expectation works performance has earned ourselves recognition from SME Association of Malaysia.



cert no: 12136



cert no: 1044



**SECA-TRAC™**  
TRAFFIC MANAGEMENT

**SkidGARD®**  
ANTI-SLIP FLOOR SOLUTIONS

# CONTENTS

---

	PAGE
PERSONAL PROTECTIVE EQUIPMENT (PPE)	3-15
SPILL CONTROL & ABSORBENTS	16-18
EYEWASH & DRENCH SHOWER	19-20
ANTI-SLIP TAPES <small>SkidGARD ANTI-SLIP FLOOR SOLUTION</small>	21-23
FIRE FIGHTING EQUIPMENT & OTHERS	24-28
METAL FABRICATION	29
TRAFFIC MANAGEMENT <small>SECA-TRAC™ TRAFFIC MANAGEMENT</small>	30-37
SAFETY & TRAFFIC SIGNAGE	38-48

# HEAD PROTECTION

Designed to provide protection to the head during exposure to potential hazards.



**Advantage 1**  
Slide Lock Safety Helmet  
Model : HG1-PHSL



**Advantage 2**  
Slide Lock Safety Helmet  
Model : HG2-PHSL



**Advantage 2**  
Stealth Lock Safety Helmet  
Model : HG2-WHG3RS



**Tanizawa Light**  
Weight ABS Safety Helmet  
Model : ST148-E



**Prima Vented Webbing Harness**  
Bump Cap  
Model : BC1-WHPL



**Prima Vented Plastic Harness**  
Bump Cap  
Model : BC1-PHPL



**Browguard Visor Holder**  
Model : VH4-CE



**Replacement**  
Chin Strap  
Model : CS-CE



**Carrier with Cylinder**  
Clear Visor  
Model : BGVH/SI-2



**Cotton Bump Cap**  
Model : CBC-99



# EYE PROTECTION

Designed to provide protection to the eyes during exposure to flying particles, molten metal or sparks, liquid chemicals, acid or caustic liquids, or potential injurious light radiation.



**Series 46 Safety Eyewear**  
Model : 46YC



**Series 46 Safety Eyewear**  
Model : 46BUC



**Series 46 Safety Eyewear**  
Model : 46BS



**Sector 5 Safety Eyewear**  
Black Frame Hard Coated  
Clear Lens  
Model : S5BC



**Sector 5 Safety Eyewear**  
Black Frame Hard Coated  
UV 400 Lens  
Model : S5BUV



**Sector 5 Safety Eyewear**  
Black Frame Hard Coated  
Smoke Lens  
Model : S5BS



**Viper Safety Eyewear Clear Lens**  
Model : Viper-C



**Visitor Spectables Clear Lens**  
Model : VS-2000C



**Visitor Spectacles Clear Lens**  
with Turquoise Blue Temple  
Model : VS-2000C Galaxy



**Safety Chemical Goggle**  
Model : Classix



**Anti-Fog Safety Chemical Goggle**  
Model : Classix-AF



**Single Lift Front with Shade 5**  
Lens Welding Goggle  
Model : WG-209

# HEARING PROTECTION

Designed to provide protection to an individual's hearing during exposure to high noise levels.



**Disposable Foam Earplugs**  
Model : FEP-03  
SNR : 37dB



**Reusable Earplugs with Polybag**  
Model : CONIE 3  
SNR : 21dB



**Reusable Earplugs with Storage Case**  
Model : CONIE 1  
SNR : 21dB



**3M Reusable Earplugs with Storage Case**  
Model : 1271  
SNR : 25dB



**Helmet Slotted Earmuff**  
Model : PC06E  
SNR : 27dB  
\*excluded helmet



**VITO Earmuff**  
Model : A-606  
YL/RD/BL  
SNR : 27dB



**Squaro Foldable Earmuff**  
Model : PC08FEM  
SNR : 30dB

# RESPIRATORY PROTECTION

Designed to provide protection to the wearer from potential inhalation hazards such as vapors, mist, particulate and gases.



**2 Ply Face Mask**  
**Model : 2P-FM-EL**  
**Type : Non-Woven/Paper**



**3 Ply Face Mask**  
**Model : 3P-FM-EL**  
**Type : Non-Woven**



**Disposable Dust Mask**  
**Model : DDM-50**



**Active Carbon Valved Particulate Respirator**  
**Model : HY8626**



**Valved Particulate Respirator**  
**Model : F323/V**



**Valved Particulate Respirator**  
**Model : F333/V**



**3M N95 Disposable Particulate Respirator**  
**Model : 8110S**



**3M N95 Disposable Particulate Respirator**  
**Model : 8210**



**N95 Disposable Particulate Respirator**  
**Model : HY8810/N95**



**Economic Half Mask Respirator with Cartridge**  
**Model : GM305Y**



**Replacement Cartridge For Economic Half Mask Respirator**  
**Model : RC-201 (Dust)**  
**RC-202 (Chemical)**  
**RC-203 (Chemical)**

## 3M Replacement Cartridge 3000 Series



**3M Single Cartridge  
Half Facepiece Respirator**  
Model : 3200  
\*without cartridge



**3M Organic Vapor Cartridge**  
Model : 3311K-55  
Capacity : 55cc



**3M Organic Vapor Cartridge**  
Model : 3311K-100  
Capacity : 100cc

## 3M Replacement Cartridge 6000 Series



**3M Double Cartridge  
Half Facepiece Respirator**  
Model : 6200  
\*without cartridge



**Organic Vapor  
Cartridge**  
Model : 6001



**Acid Gas  
Cartridge**  
Model : 6002




**Organic Vapor/  
Acid Gas Cartridge**  
Model : 6003



**Ammonia Methylamine  
Cartridge**  
Model : 6004



**Formaldehyde/  
Organic Vapor  
Cartridge**  
Model : 6005



**Multi Gas/  
Vapor Cartridge**  
Model : 6006



**3M Double Cartridge  
Full Facepiece Respirator**  
Model : 6800  
\*without cartridge



**3M P95 Particulate Filter**  
Model : 2071



**3M Filter Retainer**  
Model : 501



**3M N95 Particulate Filter**  
Model : 5N11, N95

# FALL PROTECTION

Fall protection is defined as a planned system used to protect a worker from death or potential injury in the event they would lose their balance while performing a task at height.



**Full Body Harness Built-in Lanyard and Large Hook**  
Model : PP-BH7886-CBU-LOH



**Full Body Harness Built-in with Lanyard and Large Hook**  
Model : PG141060-OB-CBU-LOH



**Fall Arrester**  
Model : PG141064



**Polyamide Lanyard With Large Opening Hook**  
Model : 1.6M-LH/2.0M-LH



**Pear Quick Link**  
Model : W7370-08



**Safety Carabiner**  
Model : 800



**Polyamide Lanyard with Press Snap Hook & Large Opening Hook**  
Model : 2.0M-CSLH



**Polyamide Lanyard with Energy Absorber**  
Model : EV240-LOH



**Twin Polyamide Lanyard with Energy Absorber**  
Model : EV250-LOH

# HAND PROTECTION

Designed to provide protection to the hands during exposures to potential hazards such as sharp objects, abrasive surfaces, temperature extremes and chemical contact. Hand protection is selected based upon the hazard and performance characteristics of the gloves.



### 13" Medium Duty Nitrile Glove

- Model : NG1315
- Size : M/L/XL
- Chemical Glove



### 18" Heavy Duty Nitrile Glove

- Model : NG1822
- Size : M/L/XL
- Chemical Glove



### 18" Heavy Duty Rubber Glove

- Model : BKG1839
- Size : M/L/XL
- Chemical Glove



### Powder Free Disposable Latex Glove

- Model : LG100PF
- Size : S/M/L/XL



### Knitted Cotton Glove

- Model : B104
- Size : Free
- For general work only



### Powder Free Disposable Nitrile Glove

- Model : PP-DNG-PWR
- Size : S/M/L/XL



### Heat Resistance Glove

- Model : ALU/370/5F-PANOX
- Size : Free
- Heat Handling



### Heat Resistance Glove

- Model : KYM/600/1
- Size : Free
- Heat Handling



### 18" Taekis Cut Resistance String Knit

- Model : HEX400R6E



### 5 Finger Stainless Steel Mesh Glove

- Model : PP-S/S-Glove
- Size : XS/S/M/L
- Cut Proof Gloves



### 3 Finger Stainless Steel Mesh Glove

- Model : PP-S/S-3FGlove
- Size : S/M/L
- Cut Proof Gloves



### 5 Finger Stainless Steel Mesh Glove-15cm

- Model : PP-S/S-Glove-15
- Size : S/M/L
- Cut Proof Gloves

# Standard EN 388:2016

This standard applies to all kinds of protective gloves in terms of physical and mechanical hazards caused by abrasion, blade cuts, puncture and tearing. The level of protection against mechanical hazards is expressed by an icon followed by four numbers (performance levels), each representing the performance against a specific hazard.

The EN 388, similar to ANSI/ISEA 105, is the European standard used to evaluate mechanical risks for hand protection. Gloves with a EN 388 rating are third party tested, and rated for abrasion, cut, tear, and puncture resistance. Cut resistance is rated 1-5, while all other physical performance factors are rated 1-4. Up until now, the EN 388 standard used only the "Coup Test" to test for cut resistance. The new EN 388 2016 standard uses both the "Coup Test" and the "TDM-100 Test" to measure cut resistance for a more accurate score.



### Proshield 4X42

- Ultra-high level of cut resistance with a fully wrist protection.
- Extreme dexterity due to the 15 gauge lining.
- Anti cut level 5/F

- Agriculture
- Recycling and waste disposal
- Construction
- Metal Fabrication
- Automotive



### Procut 4X42

- High level of cut resistance with a fully wrist protection.
- Extreme dexterity due to the 18 gauge lining.
- Anti cut level 5

- Glass manufacturing
- Metal Fabrication
- Construction
- Machinery and Equipment
- Agriculture



### Protector 4544

- HPPE liner (high performance polyethylene)
- 1<sup>st</sup> layer in blue nitrile
- 2<sup>nd</sup> layer in black foamed nitrile
- Anti cut level 5

- Construction
- Assembly
- Automotive
- Glass Industry
- Logistics and Transport



### Prosoft 3121

- Polyester glove
- Grey foam nitrile coating
- Oil resistant
- DMF free

- Agriculture
- Automotive
- Construction
- Logistic
- Maintenance



### Constructo 3243

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid

- Cable laying
- Horticulture
- Logistics and Transport
- General construction
- Laying driveways



### Shield 4543

- HPPE liner (high performance polyethylene)
- Polyurethane grip
- Anti cut level 5

- Construction
- Automobile
- Glass Industry
- Furniture Industry



### Superpro 4121

- Polyester glove
- Nitrile grip
- Oil resistant

- Logistics
- Distribution
- Construction
- Metal Industry
- Automotive



### Allflex 4132

- Nylon Spandex glove
- PU-nitrile microfoam coating
- DMF free

- Logistics and Transport
- Automobile
- Assembly and montage
- Production
- Quality Control
- General use with small parts



### Multitask 4131

- Polyester glove
- PU grip
- Oil resistant

- Logistics
- Distribution
- Assembly
- Automotive



TEST	0	1	2	3	4	5
a. Abrasion resistance (cycles)	< 100	100	500	2000	8000	-
b. Blade cut resistance (factor)	< 1.2	1.2	2.5	5.0	10.0	20.0
c. Tear resistance (newton)	< 10	10	25	25	75	-
d. Puncture resistance (newton)	< 20	20	60	100	150	-

# BODY PROTECTION

## LIFTING SUPPORT

Back support belts are designed to support and improve back posture, thus treating and managing low back pain caused by the conditions sciatica, a slipped disc, facet syndrome, spinal stenosis and degenerative disc disease. These conditions are often brought on or aggravated by weak core muscles or overuse of the back muscles which lead them to become to become strained.



**Valeo Heavy Duty 9" Elastic Back Support Belt**  
- Model : VEH

SIZE				
S	M	L	XL	XXL



**Lifting Back Support Belt**  
- Model : PP-HM-406

SIZE				
S	M	L	XL	XXL

## APRON (SPASH PROTECTION)



**Blue PVC/Nylon Apron**  
Model : PVC3543  
Size : 35" x 43"



**Ansell Green PVC Apron**  
Model : 56-100  
Size : 35" x 45"



**Disposable LDPE Apron**  
Model : EARP-LDPE  
Size : 32" x 54"  
Colour : Blue/White



**Heavy Duty Poly-Vinyl Apron**  
Model : PVA-3880  
Size : 28" x 40"



**Heavy Duty Poly-Vinyl Apron**  
Model : PVA-3990  
Size : 27" x 36"

## RAINWEAR



**Heavy Duty Visibility  
Rain Coat**  
Model : RC-8018



**Heavy Duty Visibility  
Rain Suit**  
Model : RC-8020



**Heavy Duty Visibility  
Rain Coat with High  
Reflective Strip**  
Model : ST-3580-Y



**Heavy Duty Visibility  
Rain Suit with High  
Reflective Strip**  
Model : ST-3620-Y

## COVERALL



**Cotton Coverall**  
Model : PP-CCNB  
Color : Navy Blue



**Dupont Tychem C  
Coverall**  
Model : PP-TB.C-Y



**Dupont Tyvek Barrierman  
Coverall**  
Model : PP-1422A



**Disposable Coverall  
Water Repellent**  
Model : PP-CVNW-PE



**Dupont Tychem F  
Coverall**  
Model : PP-TB.F-G



**Rubber Chest Wader**  
Model : PP-CW-M

# FIRE FIGHTING SUIT



## Fireman Outfit

Model : FS-PS3789

Outer Fabric :

- 1 Piece two layer jacket
- 1 Piece two layer Trousers
- 1 Pair Fireman Glove
- 1 Piece Fibre Glass Fireman Helmet
- 1 Pair Fireman Rubber Boots
- 1 Bag for complete outfit



Fireman Helmet c/w  
Neck Cover and Visor



Fireman Glove



Fireman Boots

# LEATHER WEAR FOR WELDING



## Welding Leather Jacket

- Model : WPG-222
- Made of quality cow grain leather
- Adjustable sizes
- Provide protection from heat, welding sparks & harmful welding rays



## Welding Leather Trouser

- Model : WPG-223
- Provide leg protection from abrasions, molten metal, slag, sparks and extreme temperatures



## Welding Blanket

- Model : PP-WB15130C
- Provide protection from abrasions, molten metal, slag, sparks and extreme temperatures
- Size : 1m x 30m x 1.5mm thickness

## SAFETY SHOES

### CLASSIC SERIES



**SAFETYRUN S1P**

Sole	PU
Midsole	Steel
Insole	Premoulded



**SAFETYBOY S1P**

Toecap	Steel
Lining	Mesh Nylon
Size	EU 36-47 • UK 3.5-12



**BESTRUN2 S3**

Sole	BASF PU/PU
Midsole	Steel
Insole	Soft Impact Foam



**BESTBOY2 S3**

Toecap	Steel
Lining	Mesh Nylon
Size	EU 36-47 • UK 3.5-12

### LADY SERIES



**BESTGIRL S3**

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh Nylon
Insole	Soft Impact Foam
Size	EU 36-42 • UK 3.5-8



**CERES S3**

Sole	Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Insole	Soft Impact Foam
Size	EU 36-42 • UK 3.5-8



**ORGANIC S1P**

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Size	EU 35-42 • UK 3-8



**BESTBOOT2 S3**

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Insole	Premoulded
Size	EU 36-47 • UK 3.5-12

### SPORT / HIKING SERIES



**X2020P S3**

Sole	BASF PU/PU
Midsole	Steel
Insole	Soft Impact Foam



**X2000 S3**

Toecap	Steel
Lining	Mesh Nylon
Size	EU 36-47 • UK 3.5-12



**JUMPER S3**

Sole	BASF PU/PU
Midsole	Puncture Resistant SJ FLEX
Insole	Soft Impact Foam



**CLIMBER S3**

Toecap	Composite
Lining	Mesh Nylon

Size EU 37-47 • UK 3.5-8

Size EU 37-47 • UK 5-12



**RAPTOR S1P**

Sole	Phylon + Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax
Insole	Soft Impact Foam
Size	EU 36-47 • UK 3.5-12



**METEOR-150 S3**

Sole	Phylon + Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Alaskafelt
Insole	Soft Impact Foam
Size	EU 38-47 • UK 5-12



**SAHARA-019 S3**

Sole	PU/PU
Midsole	Steel
Insole	Soft Impact Foam



**DAKAR-019 S3**

Toecap	Steel
Lining	Mesh Suede
Size	EU 36-47 • UK 3.5-12

## HI-TECH SERIES



AURA S3

<b>Sole</b>	PU/PU
<b>Toecap</b>	Composite
<b>Midsole</b>	Puncture Resistant SJ FLEX



EOS S3

<b>Lining</b>	Mesh Nylon
<b>Insole</b>	Soft Impact Foam
<b>Size</b>	EU 36-47 • UK 3.5-12



FORZA S1P

<b>Sole</b>	PU/PU
<b>Toecap</b>	Composite
<b>Midsole</b>	Puncture Resistant SJ FLEX



DYNAMICA S3

<b>Lining</b>	Coolmax
<b>Insole</b>	Soft Impact Foam
<b>Size</b>	EU 36-47 • UK 3.5-12

## LIGHTWEIGHT SERIES



LIGERO-ORA S1P

<b>Sole</b>	Impact phylon + natural rubber
<b>Midsole</b>	Puncture resistant lightweight
<b>Insole</b>	Synthetic breathable hybrid



ABSOLUTE-NAV S1P

<b>Toecap</b>	Nano Carbon
<b>Lining</b>	Breathable technomesh
<b>Size</b>	EU 35-47 • UK 3-12



BALTO-NAV SB

<b>Sole</b>	Phylon/Rubber
<b>Toecap</b>	Steel
<b>Midsole</b>	-
<b>Lining</b>	Imbkmesh
<b>Insole</b>	Ergonomic Breathable SJ Hybrid
<b>Size</b>	EU 36-47 • UK 3.5-12



PLUTO EH SB

<b>Sole</b>	PU/TPU
<b>Toecap</b>	Composite
<b>Midsole</b>	Puncture Resistant SJ FLEX
<b>Lining</b>	Mesh Nylon
<b>Insole</b>	Soft Impact Form
<b>Size</b>	EU 36-47 • UK 3.5-12

## FOOD SERIES / SHOE FOR CREW



BESTLIGHT - BLK

<b>Sole</b>	EVA + Rubber
<b>Toecap</b>	-
<b>Midsole</b>	-
<b>Lining</b>	-
<b>Insole</b>	Premoulded
<b>Size</b>	EU 36-46 • UK 3.5-12



GUSTO S2

<b>Sole</b>	PU/PU
<b>Toecap</b>	Steel
<b>Midsole</b>	-
<b>Lining</b>	Mesh Nylon
<b>Insole</b>	Soft Impact Foam
<b>Size</b>	EU 35-47 • UK 3-12



DOLCE S3

<b>Sole</b>	PU/PU
<b>Toecap</b>	Steel
<b>Midsole</b>	Steel
<b>Lining</b>	Mesh Nylon
<b>Insole</b>	Soft Impact Foam
<b>Size</b>	EU 35-47 • UK 3-12

## FASHION SERIES



JULIA 01

<b>Sole</b>	CE standard EN ISO 20347 01 SRC
<b>Toecap</b>	-
<b>Midsole</b>	-
<b>Lining</b>	Coolmax
<b>Insole</b>	Removable
<b>Size</b>	EU 35-42 • UK 3-8



JULINE 01

<b>Sole</b>	CE standard EN ISO 20347 01 SRC
<b>Toecap</b>	SRA
<b>Midsole</b>	-
<b>Lining</b>	Coolmax
<b>Insole</b>	Not Removable
<b>Size</b>	EU 35-42 • UK 3-8



MANAGER S3

<b>Sole</b>	PU/PU
<b>Toecap</b>	Composite
<b>Midsole</b>	Puncture Resistant SJ FLEX
<b>Lining</b>	Cambrella
<b>Insole</b>	Soft Impact Foam
<b>Size</b>	EU 38-47 • UK 5-12

# ABSORBENT



**Sorbent Pad**



**Sorbent Sock**



**Sorbent Pillow**



**Sorbent Folded**

Oil	Oil	Oil	Oil
SPC-BOS-LMT2002 (200 pcs/carton) SPC-BOS-LMT4002 (100 pcs/carton)	SPC-BOS-SOC7612 (12 pcs/carton) SPC-BOS-SOC7636 (4 pcs/carton)	SPC-BOS-PIL2025 (32 pcs/carton) SPC-BOS-PILL4025 (16 pcs/carton)	SPC-BOS-FLD3802S (1 roll/carton)
<b>Universal/Chemical</b> SPC-MOS-LMT2002 (200 pcs/carton) SPC-MOS-LMT4002 (100 pcs/carton)	<b>Universal/Chemical</b> SPC-MOS-SOC7612 (12 pcs/carton) SPC-MOS-SOC7636 (4 pcs/carton)	<b>Universal</b> SPC-MOS-PIL2025 (32 pcs/carton) SPC-MOS-PILL4025 (16 pcs/carton)	<b>Universal</b> SPC-MOS-FLD3802S (1 roll/carton)
<b>Chemical</b> SPC-HOS-LMT2002 (200 pcs/carton) SPC-HOS-LMT4002 (100 pcs/carton)	<b>Chemical</b> SPC-HOS-SOC7612 (12 pcs/carton) SPC-HOS-SOC7636 (4 pcs/carton)	<b>Chemical</b> SPC-HOS-PIL2025 (32 pcs/carton) SPC-HOS-PIL4025 (16 pcs/carton)	<b>Chemical</b> SPC-HOS-FLD3802S (1 roll/carton)

# HAZARDOUS MATERIAL DISPOSAL BAGS



Code	HMDB2430	HMDB4252
Description	24" x 30"	42" x 52"
Thickness	0.10mm	0.12mm
Quantity	24pcs/bag	24pcs/bag

# ZEOSORB ABSORBENT GRANULES



Code	SPC-ZE010
Description	<ul style="list-style-type: none"> <li>Absorbs immediately on contact</li> <li>Won't leach back absorbed fluids (Locks in absorbed oil or chemical)</li> <li>Anti-slip</li> <li>Maintains strength integrity when fully absorbed &amp; easy to clean.</li> <li>Natural bonding action</li> <li>Dispose as General Waste (with permission from local authorities)</li> <li>Available on convenient kilo boxes making it easy to store in factories or emergency response vehicles.</li> </ul>
Weight	10 kg

# SPILL RESPONSE KITS

## 18 Liter Portable Spill Response Kit



Code	Description
SPC-18L-O	Portable Spill Response Kit - Oil (18 Liters)
SPC-18L-U	Portable Spill Response Kit - Universal (18 Liters)
SPC-18L-C	Portable Spill Response Kit - Chemical (18 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	2 Pcs
• Sorbent Pad	10 Pcs
• Hazardous Material Disposal Bag (24" x 30")	2 Pcs
• Cable tie	2 Pcs
• Anti-fog Goggle	1 Pr
• Nitrile Glove	1 Pr

## 18 Liter Spillcon Absorbent Floor Sweep Kit



Code	Description
SPC-ZEO10+OIL18	Spillcon Absorbent Floor Sweep Kit - Oil (18 Liters)
SPC-ZEO10+UNI18	Spillcon Absorbent Floor Sweep Kit - Universal (18 Liters)

Content (Per Dispenser)	Quantity
• 18 Liters PE Bucket	1 Nos.
• 10 kg ZEOSORB absorbent granules (for acid & oil)	1 Bag
• Hazardous Material Disposal Bag	2 Pcs
• Plastic handheld sweep and scoop	1 Nos
• Nitrile glove	1 Pair
• N95 disposable particulate respirator	1 Pc

Code	Description
SPC-120L-O	Dispenser Cart Spill Kit - Oil (120 Liters)
SPC-120L-U	Dispenser Cart Spill Kit - Universal (120 Liters)
SPC-120L-C	Dispenser Cart Spill Kit - Chemical (120 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	2 Pcs
• Sorbent Pillow	4 Pcs
• Sorbent Pad	20 Pcs
• Hazardous Material Disposal Bag (24" x 30")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• N95 disposable particulate respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

## 120 Liter Dispenser Cart Spill Kit



## 240 Liter Dispenser Cart Spill Kit



Code	Description
SPC-240L-O	Dispenser Cart Spill Kit - Oil (240 Liters)
SPC-240L-U	Dispenser Cart Spill Kit - Universal (240 Liters)
SPC-240L-C	Dispenser Cart Spill Kit - Chemical (240 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	4 Pcs
• Sorbent Pillow	8 Pcs
• Sorbent Pad	40 Pcs
• Hazardous Material Disposal Bag (42" x 52")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• Acid Gas/Organic Gas Particulate Respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

## 660 Liter Dispenser Cart Spill Kit



Code	Description
SPC-660L-O	Dispenser Cart Spill Kit - Oil (660 Liters)
SPC-660L-U	Dispenser Cart Spill Kit - Universal (660 Liters)
SPC-660L-C	Dispenser Cart Spill Kit - Chemical (660 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	4 Pcs
• Sorbent Pillow	8 Pcs
• Sorbent Pad	40 Pcs
• Hazardous Material Disposal Bag (42" x 52")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• Acid Gas/Organic Gas Particulate Respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

Code	Description
SPC-120L-O	Service Station Spill Kit - Oil (120 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	2 Pcs
• Sorbent Pillow	2 Pcs
• Sorbent Pad	20 Pcs
• Universal Sorbent Pad	20 Pcs
• Hazardous Material Disposal Bag (24" x 30")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Plastic Handheld Sweep & Scoop (Big)	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• N95 Disposable Particulate Respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

## 120 Liter Service Station Spill Kit



# WALL MOUNTED EYEWASH

Where space may be of constraint, wall-mounted eyewash fits easily into your workplace. Eyewash works quickly with a simple push of it highly visible handle.


**Certified : ANSI Z358.1 - 2004**



**Eyewash with ABS Bowl**  
- Model : EY 5050




**Eyewash with Stainless Steel Bowl**  
- Model : EY 5050 SS



# FLOOR MOUNTED EYEWASH

These fine units work very well in any environment. This unit can be mounted onto a floor and operated either by hand or by foot.

**Certified : ANSI Z358.1 - 2004**



**Eyewash with ABS Plastic Bowl**  
- Model : EY 5070/  
GIY 5070




**Eyewash with Stainless Steel Bowl**  
- Model : EY 5060 SS/  
GIY 5060 SS

# FLOOR MOUNTED DRENCH SHOWER & EYEWASH

Our combination unit of drench and eyewash is popular in workplace where fire and chemical spillages may occur. All control valves are the instant action, stay opened type of ball valve. All units come with optimal foot pedal.

**Certified : ANSI Z358.1 - 2004**



## SPARE PART



**Stainless Steel Shower Bowl**  
- Model : S 09-200



**ABS Plastic Shower Bowl**  
- Model : IM 90-136



**ABS Plastic Eyewash Bowl**  
- Model : IM 50-777



**Stainless Steel Eyewash Bowl**  
- Model : S 50-123



**Stainless Steel Push Handle**  
- Model : S 128-223



**Foot Pedal with Stainless Steel Chain**  
- Model : IM 26-166D



**1" Shower Control Valve with Lever**  
- Model : O 25-059



**Stainless Steel Pull Rod**  
- Model : S 128-2U



**Eyewash Head Assembly**  
- Model : IM 55-CD



**Combination Shower & Eyewash with ABS Bowl c/w Foot Pedal**  
- Model : ECB 10022AB/  
GIC 10022AB



**Combination Shower & Eyewash with Stainless Steel Bowl c/w Foot Pedal**  
- Model : ECB 10022 SS/  
GIC 10022 SS

## ANTI-SLIP TAPES (SERIES 1000)

Anti slip tape products are an effective way to office visual warning of a slip and hazard. The tape adheres must be on clean and dry surface, water and chemical resistant and can be used both indoor and outdoor.



Yellow/Black



High Visibility Yellow



Clear



Black (Coarse)

Size	Model			
	Yellow/Black	High Visibility Yellow	Clear	Black (Coarse)
2" x 18.25 meter	1102YB	1102Y	1102C	1302B
4" x 18.25 meter	1104YB	1104Y	1104C	1304B
6" x 18.25 meter	1106YB	1106Y	1106C	1306B
2" x 6 meter	1102YB6M	1102Y6M	1102C6M	1302B6M

## SLIP RESISTANT RESILIENT TAPES (SERIES 2000)

**SkidGARD**  
ANTI-SLIP FLOOR SOLUTION

SkidGARD slip resistant resilient tape is rugged textured for firm traction. Suitable for firm traction. Suitable for step tools, golf carts, aquatic equipment, playground apparatus, and many more.




Size	Model			
	Black Rubberised Vinyl	Grey Rubberised Vinyl	White Rubberised Vinyl	Clear Rubberised Vinyl
2" x 18.25 meter	25102B	25102G	25102W	25102C
4" x 18.25 meter	25104B	25104G	25104W	25104C
6" x 18.25 meter	25106B	25106G	25106W	25106C

## ANTI SLIP TAPES

**SkidGARD**  
ANTI-SLIP FLOOR SOLUTION

Promote organization and safety by visually identifying area in your workspace.



Size	Model	
	Fine Black Grit	Coarse Black Grit
5.5" x 5.5"	1100B	1300B
6" x 24"		

# SAFETY FLOOR TAPES

Promote organization and safety by visually identifying areas in your workspace



Model	
Size	Safety Floor Tape
2" x 30m per roll	SS-FT
4" x 30m per roll	
Color	
Black/Yellow/Green/Red/Blue	



	Safety Floor Tape			AWAS Caution Tape	ESD Protected Tape
<b>Model</b>	SS-FT-RW	SS-FT-GW	SS-FT-YB	ACBT	SS-ESD
<b>Size</b>	48mm x 30m	48mm x 30m	48mm x 30m	72mm x 66m	3" x 33m
<b>Color</b>	Red/White	Green/White	Yellow/Black	Red/White	Yellow

# PVC REFLECTIVE TAPES

Used at construction sites for safety indications and are available with us at market leading rates.



Size	Model		
	Yellow	Silver	Orange
2"	RPVC-50-Y	RPVC-50-S	RPVC-50-O
4"	RPVC-100-Y	RPVC-100-S	RPVC-100-O

# PHOTOLUMINESCENT TAPES (Glow in the dark - No Grit)

**Model** : MG  
**Size** : 1" x 5 meters  
 2" x 5 meters  
 3" x 5 meters  
 4" x 5 meters



Light ON



Light OFF

# DIAMOND PLATE ANTI-FATIGUE MAT

Anti-fatigue mats are often used to decrease the weariness for workers who stand in one position for long periods.



Size		Model	
600mm x 18m		Diamond Plate Anti-fatigue Mat	
900mm x 18m		AFM2	
1200mm x 18m		AFM3	
		AFM4	
Material	Thickness	Edge Type	Color
PVC/Cell PVC Foam	9"/16"	Bevelled	Yellow/Black

# EQUIPMENT CABINET



	Model		
	Fire Extinguisher Cabinet (9kg)	Hose Reel Cabinet	Hydrant Cabinet
Dimension	280mm(W) x 710mm(H) x 260mm(D)	790mm(W) x 790mm(H) x 360mm(D)	560mm(W) x 1163mm(H) x 300mm(D)
Material	Mild Steel	Mild Steel	Mild Steel
Thickness	0.8mm	0.8mm	0.8mm
Paint Finishing	Epoxy Powder Red	Epoxy Powder Red	Epoxy Powder Red

# FIRE HOSE, NOZZLE & HOSE REEL



## Fire Hose

### Jacket :

- Tough, high tenacity
- Good mechanical
- Abrasion resistance
- Rotproof, mildew proof

### Lining :

- No hydrolysis
- Flex-fatigue resistance
- Excellent flexibility
- Climatically resistance
- Resistance to swell oils & aliphatic hydrocarbon
- Light weight

## Hose Reel Jet/Spray Nozzle

- Model** : a. EZ-19P  
b. EZ-25P
- Inlet** : a. 19mm  
b. 25mm
- Body Material** : Nylon
- Finishing** : Red
- Working Pressure** : 12 bar
- Test Pressure** : 18 bar
- Flow Rate @ 6 bar** : Jet : 5SL/min  
Spray : 63L/min
- Throw Range @ 4 bar** : Jet : 10m  
Spray : 4m

## Hose Reel

- Inlet** : 19mm(3/4") or 25mm(1") BSP Thread
- Outlet Connection to Hose** : 19mm(3/4") or 25mm(1") Serrated
- Working Pressure** : 12 bar (217 psi)
- Test Pressure** : 18 bar (261 psi)

# EMERGENCY KEY / MANUAL KEY SWITCH / NOZZLE BOX



D109



D112



D105



D101KS



D106

	Model				
	D109	D112	D105	D101KS	D106
Casing Material	Mild Steel	ABS Plastic	Mild Steel	ABS Plastic	ABS Plastic
Net Weight	682g	250g	760g	175g	125g

# FIRE EXTINGUISHER



2kg Carbon Dioxide Gas

9kg Dry Powder

	2kg Carbon Dioxide Gas	9kg Dry Powder
Type	Stored Pressure	Stored Pressure
Propellant	-	Dry Nitrogen (N <sub>2</sub> )
Capacity	2kg Carbon Dioxide (CO <sub>2</sub> )	9kg Dry Powder
Head Valve	Controllable Chrome Plated Brass Valve	Controllable Non Ferrous Valve with Pressure Indicator
Overall Height	510mm	590mm
Approx. Full Weight	7.6kg	12.7kg
Working Temperature Range	-20°C to +60°C	
Working / Test Pressure	56 Bar/250 Bar	12 Bar/24 Bar
Burst Pressure	> 458 Bar	Exceed 69 Bar
Discharge Time	12 seconds	20 seconds
Approx. Discharge Range	3 meter	6 - 7.5 meter
Mounting	Swivel Horn Assembly	Metal "L" Wall Bracket
Body Diameter	114mm	178mm
Fire Rating	21B	27A/144B
Paint Finishing	RAL 3000 Flame Red Polyester Powder Coating	
Manufacturer	Eversafe	
Design & Manufacture Class	MS1539 : Part 1 : 2002	
	Class B, E	Class A, B, C, E

## FIRE FIGHTING EQUIPMENT



**Fire Extinguisher  
Single Stand**  
Model : FES-S



**Fire Extinguisher  
Double Stand**  
Model : FES-D



**Fire Blanket**  
Model : a. FB44CD  
          b. FB46CD  
Size : a. 4ft x 4ft  
      b. 4ft x 6ft



**Fireman Axe**

## EMERGENCY RESPONSE EQUIPMENT



**Double Foldable Stretcher  
with Carrying Bag**  
Model : DFPS  
Self Weight : 5.8kg  
Load Bearing : 159kg



**Single Foldable Stretcher  
with 2 strap**  
Model : SFPS  
Self Weight : 5kg  
Load Bearing : 159kg



**Laerdal Pocket Mask with Glove &  
Wipe in Yellow Hard Case**  
Model : LPM-820011



**Heartsine Samaritan® PAD 500P**  
Size : 20cm x 18.4cm x 4.8cm  
Weight : 1.1kg including Pad-Pak Battery  
Type : Semi-Automatic  
Memory : Internal  
          - 90 minutes of ECG (full disclosure) and  
          incident recording  
Battery : Lithium Manganese Dioxide 18V  
type >60 shocks at 200J or 6 hours of continuous monitoring



**Wheel chair**  
Model : PP-Wheelchair



**AED Cabinet**  
Model : PM-01-AC  
Size : 330mm(L) x 160mm(W) x 300mm(H)  
Weight : 3.9 kg  
Product Description :  
• Included with Siren Sound and Light  
• Allow to mounted on wall  
• Break glass to get the key  
• Include with 9V battery and 2 keys

\*AED not included

# FIRST AID KITS

## PVC BOX



**First Aid Kit - Small**

**Model :** FAK-PM-S

**Size :** 232mm(L) x 130mm(W) x 43mm(H)



**First Aid Kit - Medium**

**Model :** FAK-PM-M

**Size :** 258mm(L) x 68mm(W) x 126mm(H)



**First Aid Kit - Large**

**Model :** FAK-PM-L

**Size :** 280mm(L) x 90mm(W) x 210mm(H)

## METAL BOX



**First Aid Kit - Medium**

**Model :** FAK-PM-MM

**Size :** 290mm(L) x 90mm(W) x 135mm(H)



**First Aid Kit - Large**

**Model :** FAK-PM-ML

**Size :** 292mm(L) x 95mm(W) x 243mm(H)

## OTHER EQUIPMENTS



**4 Wheel Recycle Bin - 660 Liter**

**Model :** WRB-GN-660

**Color :** Green

**Size :** 1250mm(L) x 770mm(W) x 1220mm(H)



**2 Wheel Recycle Bin  
(120 Liter/240 Liter)**

**Model :** WRB-GN-120 / WRB-GN-240

**Color :** Green

**Size :** 120 Liter - 480mm(L) x 555mm(W) x 930mm(H)  
240 Liter - 580mm(L) x 715mm(W) x 1070mm(H)



**Turbolid Recycle Bin  
(240 Liter)**  
Model : TRB-BRN  
Size : Brown



**Turbolid Recycle Bin  
(240 Liter)**  
Model : TRB-OR  
Size : Orange



**Turbolid Recycle Bin  
(240 Liter)**  
Model : TRB-BL  
Size : Blue



**Sure-Grip® EX Safety Cabinets - All Purpose, Yellow**

Capacity	No. of Doors	Types of Doors	Dimension H x W x D	No. of Shelves	Approv./Lstg. Regulation*	Ship Wt. (lbs/kg)	Model No.
30 Gal/114L	2	Manual	44" x 43" x 18"	1	FM,N,O	221/100	893000
30 Gal/114L	2	Self-close	44" x 43" x 18"	1	FM,N,O,U	223/101	893020
60 Gal/227L	2	Manual	65" x 34" x 34"	2	FM,N,O	366/166	896000
60 Gal/227L	2	Self-close	65" x 34" x 34"	2	FM,N,O,U	368/167	896020



**Blue Steel Sure-Grip® EX Safety Cabinets for Corrosives**

Capacity	No. of Doors	Types of Doors	Dimension H x W x D	No. of Shelves	Approv./Lstg. Regulation*	Ship Wt. (lbs/kg)	Model No.
30 Gal/114L	2	Manual	44" x 43" x 18"	1	FM,N,O	222/101	893002
30 Gal/114L	2	Self-Close	44" x 43" x 18"	1	FM,N,O,U	225/102	893022
60 Gal/227L	2	Manual	65" x 34" x 34"	2	FM,N,O	368/167	896002
60 Gal/227L	2	Self-Close	65" x 34" x 34"	2	FM,N,O,U	370/168	896022



**Safety Plunger Cans**

- Model** : 10208  
**Capacity** : 2 Liters  
**Dasher** : 13 cm  
**OD x H** : 18cm x 20cm  
**Product Description** : • Dispense flammable liquids and solvents safety, without waste or exposure.  
 • Perforated dasher dissipates heat.  
 • Pump base design leaves less liquid in the bottom before requiring a refill.  
 • High-density polyethylene container option for greater corrosion resistance.  
 • Approved by FM Approvals and TUV.



**4-DRUM POLY-SLIME-LINE™ 6000**

- Model** : 5400-YE-D  
**Sump Capacity** : 250 Liters  
**Weight** : 41 kg  
**Dimensions** : 137cm(L) x 137cm(W) x 30cm(H)  
**Load Bearing Capacity** : 2700 kg  
**Capacity UDL** : 2700 kg  
**Regulations** : EPA 40 CFR 264.175, SPCC, NPDES and UFC

# SIGN FABRICATION / METAL WORKS



Exhibition Metal Work



Back-lit Signage



Company Logo



Front-Lit Signage



Frameless LED Lightbox with Fabric Print



Metal Barrier



Street Signs



Trash Can



Pylon

# SLOW-GO SPEED CONTROL SYSTEM

Seca-Trac® Rubber Speed Humps are raised devices, parabolic in shape and ideally be installed in a series to create ongoing traffic calming. The Speed Humps are best placed mid-intersection on roads with low speed limits.



**Premium Rubber Speed Hump 380 (with Interlocking)**

**Model :** SH380  
**Size :** 380mm x 1000mm x 50mm  
**Weight :** 16.0 kg/meter



**Premium Rubber End Cap 380 (with Interlocking)**

**Model :** SH-EC380  
**Size :** 250mm x 380mm x 50mm  
**Weight :** 2.5 kg/pc



**Rubber Speed Hump 350**

**Model :** SH350  
**Size :** 350mm x 500mm x 50mm  
**Weight :** 14.0 kg/meter



**Rubber End Cap 350**

**Model :** SH-EC350  
**Size :** 175mm x 350mm x 50mm  
**Weight :** 1.5 kg/pc

**SECA-TRAC™**  
**TRAFFIC MANAGEMENT**

## KEY FEATURES



- Steel washers molded into each mounting point.
- 4 nos. of clear reflectors insert per section.
- Able to withstand 5 tons of vehicle running over at 30km/h.

## INTERLOCKING (SH380)



Unique keyed design **INTERLOCKING SYSTEM** each section and enhance overall strength of the hump and reduce tearing force at each anchorage point.

# CONVEX MIRROR



A curved mirror is a mirror with a curved reflective surface. Convex Mirror provides a wide range of options for increasing visibility, reducing pilferage, and making it easier for people to see what they need to see, beside operating a more efficient, sharpen and clearer view of the entire facility or store area.

Available in these both material :

Polycarbonate			
Indoor		Outdoor	
Size (mm)	Model	Size (mm)	Model
300	PCM-IN300	600	PCM-OUT600
450	PCM-IN450	800	PCM-OUT800
600	PCM-IN600	1000	PCM-OUT1000

Stainless Steel			
Indoor		Outdoor	
Size (mm)	Model	Size (mm)	Model
490	SSM-IN490-C	490	SSM-OUT490-Z
600	SSM-IN600-C	600	SSM-OUT600-Z
		800	SSM-OUT800-Z
		1000	SSM-OUT1000-Z




# DOME MIRROR



Quarter-90°

Half-180°


Full-360°



Size (mm)	Model		
300	AQDM-300	AHDM-300	AFDM-300
450	AQDM-450	AHDM-450	AFDM-450
600	AQDM-600	AHDM-600	AFDM-600
800	AQDM-800	AHDM-800	AFDM-800
1000	AQDM-1000	AHDM-1000	AFDM-1000
1200	AQDM-1200	AHDM-1200	AFDM-1200

# PLASTIC/METAL BARRICADE, VEHICLE DOLLY & EXPANDABLE POLE

## PLASTIC BARRICADE



**Plastic Expandable Barricade**

**Model** : PEB  
**Size** : **Open** : 2400mm(L)  
**Close** : 340mm(L)  
**Height** : 960mm  
**Weight** : 3.0 kg  
**Footprint** : 250mm x 400mm



**Plastic Expandable Barricade C/W Wheel**

**Model** : PEB-U  
**Size** : **Open** : 3800mm(L)  
**Close** : 320mm(L)  
**Height** : 1000mm  
**Weight** : 16.0kg  
**Footprint** : 300mm x 610mm

## EXPANDABLE POLE



**Expandable Pole**


**Model** : EBYB/EPRW  
**Length** : Expand up to 2.5m  
**Color** : Yellow/Black  
 Red/White

## METAL BARRICADE



**Metal Expandable Barricade**

**Model** : MEB-W-UTEB-1S01  
**Size** : **Open** : 2300mm(L)/**Close** : 280mm(L)  
**Height** : 950mm  
**Weight** : 8.0 kg  
**Footprint** : 450mm x 280mm



**Crowd Control Barricade**

**Model** : MTB/MTB-W  
**Size** : 42 inch(H) x 48 inch(L)



**Vehicle Dolly C/W Holder**

**Model** : UTPL-M01  
**Size** : 680mm x 620mm x 200mm  
**Weight** : 20.0 kg

## TRAFFIC FLAG & REFLECTOR



**Traffic Flag (for Flagman)**

**Model** : FLAG-R/G  
**Size** : 375mm x 280mm  
**Stick** : 600mm(L)  
**Colour** : Green/Red  
**Material** : Cotton



**Plastic Triangle Reflector**

**Model** : TR/PLASTIC  
**Size** : 400mm x 400mm x 400mm  
**Weight** : 0.2 kg

## FLOOR SIGN



**PVC FLOOR SIGN**

**Model** : SFS-PLAIN  
**Size** : 25 inch(H)  
**Weight** : 0.9 kg

# SAFETY VEST



**Safety Vest (HI-VIS)**

Model : SV-VH4HG  
Size : S/M/L/XL/XXL  
Color : Green



**Safety Vest (HI-VIS)**

Model : SV-VH4OR  
Size : S/M/L/XL/XXL  
Color : Orange



**Safety Vest (Mesh Type)**

Model : ES-SV300DO  
Size : Free  
Color : Orange



**Safety Vest (Mesh Type)**

Model : ES-SV300LG  
Size : Free  
Color : Green



**V-Shaped Reflective Safety Vest**

Model : SV-V-Y  
Size : Free  
Color : Yellow

# BOLLARD & LANE BLOCK



**Premium Reboundable Pole**

Model : FP30-PU  
Size : 750mm(H)  
Weight : 1.3 kg  
Material : PU

SIRIM Test Report No. :  
2019MA1893

Issued Date : 27 Dec 2019



**Economic Reboundable Pole**

Model : FP30-PE  
Size : 750mm(H)  
Weight : 0.9 kg  
Material : PE



**Delineator Pole**

Model : DP1100  
Size : 1100mm(H)  
Weight : 6.8 kg  
Base : 420mm x 420mm



**Detachable Bollard (With Ring Top)**

Model : CC-E05-0  
Size : 800mm(H)  
Weight : 2.7 kg  
Base : 260mm(D)



**FRP Bollard**

Model : FRP-BOLLARD  
Size : 912mm(H) x 195mm(Top)  
Weight : 10.0 kg  
Base : 186mm(D)



**Stainless Steel Bollard**

Model : SUS-BOLLARD  
Size : 100mm Ø x 1000mm(H)



**Rubber Lane Block**

Model : RLB800-10  
Size : 800mm(L) x 130mm(H) x 200mm(W)  
Weight : Base : 10.0kg/Post : 1.3kg



**Plastic Lane Divider**

Model : RLBP1000  
Size : 1000mm(L) x 780mm(H) x 200mm(W)  
Weight : Base : 3.5kg/Post : 1.0kg

# TRAFFIC CONE



**PE Traffic Cone  
(Rubber Base)**

**Model :** TC30R  
**Size :** 750mm (H)  
**Weight :** 2.5kg  
**Base :** 380mm x 380mm



**PE Traffic Cone  
(Ring Top)**

**Model :** TC30RG  
**Size :** 750mm (H)  
**Weight :** 2.5kg  
**Base :** 380mm x 380mm



**PE Traffic Cone 1 Meter  
(Highway Grade)**

**Model :** TC1MC  
**Size :** 1000mm (H)  
**Weight :** 5 kg  
**Base :** 490mm x 490mm



**PVC Traffic Cone  
(Highway Grade)**

**Model :** TC30R-PVC  
**Size :** 750mm (H)  
**Weight :** 3.6 kg  
**Base :** 360mm x 360mm



**PE Traffic Cone  
(Sand Base)**

**Model :** TC30  
**Size :** 750mm (H)  
**Weight :** 4.0kg  
**Base :** 390mm x 390mm



**ADAPTA Base**

**Model :** ADAPTA  
**Size :** 510mm x 510mm  
**Weight :** 5.0 kg



**Collapsible Cone**

**Model :** RCS675  
**Size :** 610mm (H)  
**Weight :** 2.5 kg



**Retractable Cone with  
Hazard Warning Light**

**Model :** FTSC28  
**Size :** 710mm (H)  
**Weight :** 0.8 kg

# CONE & ROAD BARRIER ACCESSORIES



**Reflective Delineator Rope**

**Model :** RDP-Y/O/S  
**Length :** 50 meters  
**Colour :** Yellow/Orange/Silver



**Cone Connector**

**Model :** SCC-R/SCC-Y  
**Size :** 76mm - 88mm (Diameter)  
**Colour :** Red/Yellow



**Plastic Chain**

**Model :** PLC-R/Y  
**Size :** 6mm x 25mm  
**Colour :** Red/Yellow



**Cone Top Retractable Barrier Tape**

**Model :** RBT  
**Length :** 3 meters



**Battery Hazard Warning Light**


**Model :** HWL-LED/O/R/B  
**Colour :** Amber/Red/Blue



**Solar Hazard Warning Light**

**Model :** HWL-S-AM  
**Colour :** Amber

# CAR STOPPER & CORNER PROTECTOR



**Rubber Car Stopper**

**Model :** RCS-550  
**Size :** 100mm(H) x 150mm(W) x 550mm(L)  
**Weight :** 4.5 kg



**Economic Rubber Car Stopper**

**Model :** RCS-UTWS-R006  
**Size :** 100mm(H) x 160mm(W) x 500mm(L)  
**Weight :** 4 kg



**Full Size Rubber Car Stopper**

**Model :** RCS-183  
**Size :** 100mm(H) x 150mm(W) x 1830mm(L)  
**Weight :** 15.5 kg



**Concrete Car Stopper**

**Model :** CCS  
**Size :** a. 100mm(H) x 150mm(W) x 600mm(L)  
 b. 100mm(H) x 150mm(W) x 1830mm(L)  
**Weight :** a. 19.0 kg ±  
 b. 57.0 kg ±




**Rubber Wall Protector**

**Model :** RWP-995  
**Size :** 995mm(L) x 200mm(W)  
**Weight :** 15.5 kg



**Rubber Corner Protector**

**Model :** RCP  
**Size :** 100mm(H) x 100mm(W) x 800mm(L)  
**Weight :** 1.5 kg



**Metal/Aluminium Corner Protector**

**Model :** a. MCP-AL  
 b. MCP-MS  
**Size :** a. 100mm(H) x 100mm(W) x 1000mm(L)  
 b. 76mm(H) x 76mm(W) x 1000mm(L)



**Yellow Corner Protector**


**Model :** RCP-Y  
**Size :** a. 100mm(H) x 100mm(W) x 800mm(L)  
 b. 100mm(H) x 100mm(W) x 900mm(L)  
**Weight :** a. 2.0 kg  
 b. 2.3 kg

# ROAD STUD, TIGER'S EYE & OTHERS



**3M Aluminium Road Stud**

**Model** : RSDY-290AI  
**Size** : 23mm (H) x 101mm (W) x 91mm (L)  
**Material** : Aluminium



**Aluminium Road Stud**

**Model** : RSDY-K LITE  
**Size** : 20mm (H) x 100mm (W) x 100mm (L)  
**Material** : Aluminium



**Plastic Road Stud**

**Model** : RSDY-PLASTIC  
**Size** : 20mm (H) x 100mm (W) x 100mm (L)  
**Material** : ABS



**Glass Road Stud/Tiger's Eye**

**Model** : RSDY-TG  
**Material** : Original Tempered Glass  
**Color** : White/Yellow  
**Size** : Ø 100mm  
**Weight** : 530gram  
**Height** : 40mm  
**Anti Collision Resistance** : 40 tons



**Metal Detector**

**Model** : MD-3003B1  
**Size** : 410mm x 85mm x 45mm



**Traffic Wand**


**Model** : TB-J003  
**Size** : 54 cm (L) x 4 cm (Diameter)



**Inspection Mirror**

**Model** : SIM-V1  
**Size** : 12 inch round mirror  
**Handle** : Extend from 24" to 44"


# ROAD BARRIER, SAFETY NET & HOARDING



**Road Barrier (Water-fillable)**  
 Model : RB1M-O/RB1M-W  
 Size : 1000mm x 800mm  
 Color : Red/White



**Safety Net**  
 Model : ST-NETTING-660G



**Extend Hoarding**  
 Model : HOARDING-O/HOARDING-W  
 Size : 1230mm x 1140mm  
 Color : Red/White

# PARKING LOCK, WHEEL CHOCK/CLAMP & FENDER



**Wheel Clamp**  
 Model : WHEELCLAMP-SMALL  
 WHEELCLAMP-BIG  
 Size : **SMALL** : 16" and above  
**BIG** : Up to 17"



**Wheel Chock**  
 Model : WC  
 Size : 240mm (L) x 165mm (W) x 195mm (H)  
 Weight : 4.5 kg



**T-Shape Adjustable Parking Lock**  
 Model : TAPL  
 Size : 50cm x 36cm  
 Weight : 4.5 kg



**Portable Wheel Lock**  
 Model : ULOCK  
 Lock Size : 185mm to 295mm



**Remote Control Parking Lock**  
 Model : UTPL-T03  
 Size : 18" (W) x 16" (H)



**Hollow Rubber Fender**  
 Model : RFH-D  
 Size : All sizes available upon request



**Solid Rubber Fender**  
 Model : RFH-R  
 Size : All sizes available upon request

# SIGNAGES

## MANDATORY SIGNS

Mandatory signs display specific behaviour message or action that must be carried out within a designated area.

Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.

300 x 100 mm, 600 x 200 mm



150 x 200 mm, 300 x 400 mm, 400 x 600 mm



## PROHIBITION SIGNS

Prohibition signs remind employees and visitors of certain behaviours and actions are prohibited.  
**Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.**

300 x 100 mm, 600 x 200 mm



150 x 200 mm, 300 x 400 mm, 400 x 600 mm




# WARNING SIGNS

Warning signs identify and warn visitors, employees and general public of possible dangers and hazards.

Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.

300 x 100 mm, 600 x 200 mm



150 x 200 mm, 300 x 400 mm, 400 x 600 mm



# COMBINATION SIGNS

The signs were are combination from several sign created. Moreover, we also provide customize works based on specification from the clients.

**Semua pelawat mesti melaporkan diri pada pondok pengawal**  
All visitors must report to the guardhouse

C001 900 x 600 mm

**Health & Safety at Work Act 514**  
Person entering these premises must comply with all safety regulations under the above act

C002 900 x 600 mm

**Keselamatan Tapak**  
Site Safety  
Untuk semua pekerja dan pelawat, anda dikehendaki melaporkan diri di pejabat pembinaan untuk dapatkan unsur-unsur keselamatan di tapak pembinaan ini.  
All visitors and contractors must report to site office to receive information and site rules regarding this site.

C003 900 x 600 mm

Topi keselamatan dan pakaian cerah mesti dipakai di kawasan ini  
Safety helmets and high visibility clothing must be worn on this site

C011 600 x 400 mm

**BAHAYA - Mudah terbakar**  
DANGER - Highly flammable  
Dilarang merokok dan menyalakan api  
No smoking and No naked light

C004 900 x 600 mm

**BAHAYA**  
Kerja-kerja perobohan sedang dijalankan  
DANGER  
Demolition in progress  
Dilarang masuk  
No entry

C005 900 x 600 mm

**Ruang tertutup**  
Confined space  
Dilarang masuk tanpa kebenaran  
No access for unauthorised persons

C006 900 x 600 mm

Pakaian cerah, topi dan kasut keselamatan mesti dipakai di kawasan ini  
High visibility clothing, safety helmets and safety boots must be worn on this site

C012 600 x 400 mm

**BAHAYA - Kren atasan kepala**  
DANGER - Overhead crane  
Topi keselamatan dan kasut keselamatan mesti dipakai di kawasan ini  
Safety helmet & safety boots must be worn at all times

C007 900 x 600 mm

**AWAS - Kenderaan berat keluar masuk**  
CAUTION - Heavy vehicle operating  
Tapak Pembinaan sila patuhi arahan keselamatan  
Construction site please follow safety instruction

C008 900 x 600 mm

**Ujian elektrik sedang dijalankan**  
Live test in progress  
Sila jauhi  
Keep away

C009 900 x 600 mm

**GUNAKAN ALAT-ALAT KESELAMATAN SEMASA BEKERJA DI KAWASAN INI**  
WEAR PROTECTIVE EQUIPMENT WHILE WORK IN THIS AREA

- Gunakan pelindung mata  
Wear eye protection
- Gunakan topi keselamatan  
Wear safety helmet
- Gunakan sarung tangan  
Wear gloves
- Gunakan apron  
Wear apron
- Gunakan kasut keselamatan  
Wear safety shoes

C013 600 x 900 mm

**AMARAN !**  
BAHAN KIMIA BERBAHAYA UNTUK KESIHATAN. SILA PATUHI PROSEDUR OPERASI KESELAMATAN SEBELUM MENGEKALKANNYA.  
**WARNING !**  
THESE CHEMICALS ARE HAZARDOUS TO HEALTH. STRICTLY FOLLOW THE SAFE OPERATION PROCEDURE BEFORE HANDLING.

**GUNAKAN ALAT-ALAT KESELAMATAN YANG SESUAI**  
WEAR SUITABLE PROTECTIVE EQUIPMENT

- Gunakan pelindung mata  
Wear eye protection
- Gunakan pelindung pernafasan  
Wear mask
- Gunakan sarung tangan  
Wear gloves
- Gunakan kasut keselamatan  
Wear safety shoes

C015 400 x 900 mm

**PERINGATAN / REMINDER**

- Gunakan penutup rambut  
Wear hairnet
- Gunakan pelindung pernafasan  
Wear face mask
- Gunakan pakaian seragam  
Wear uniform
- Gunakan pelindung kasut  
Wear shoe cover

C016 400 x 600 mm

**Gunakan Alat-alat Keselamatan Semasa Bekerja Di Kawasan ini**  
Wear Protective Equipment While Work In This Area

C018 1200 x 400 mm

**SAFETY + FIRST**  
**UTAMAKAN KESELAMATAN**

Dilarang merokok  
No smoking  
Dilarang menggunakan telefon bimbit  
Do not use mobile phone  
BAHAYA  
Mudah terbakar  
DANGER  
Highly flammable

C020 1800 x 1200 mm

**SITE SAFETY**

The management of Healthy & Safety requires all persons entering this site to comply with all safety regulations.  
All visitors must report to the site office and obtain permission before processing on to the site or any work area.  
Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.

- Gunakan topi keselamatan  
Head protection must be worn
- Gunakan pelindung telinga  
Ear protection must be worn
- Gunakan pakaian cerah  
Wear high visibility vest
- Gunakan kasut keselamatan  
Wear safety boots
- Dilarang masuk tanpa kebenaran  
Authorised personnel only

C021 450 x 750 mm

**SITE SAFETY**

- Gunakan topi keselamatan  
Head protection must be worn
- Gunakan pakaian cerah  
Wear high visibility vest
- Gunakan kasut keselamatan  
Wear safety boots
- AWAS  
Hati-hati kenderaan berat  
CAUTION  
Watch out for heavy vehicle
- AWAS  
Taruk angkat susun  
CAUTION  
Fork lift truck
- Dilarang masuk tanpa kebenaran  
Authorised personnel only

C022 450 x 750 mm

**Keselamatan Tapak**  
Site Safety  
Untuk semua pekerja dan pelawat, anda dikehendaki melaporkan diri pada pejabat pembinaan untuk dapatkan unsur-unsur keselamatan di tapak pembinaan ini.  
All visitors and contractors must report to site office to receive safety information and site rules regarding this site.

- Gunakan topi keselamatan  
Wear safety helmet
- Gunakan kasut keselamatan  
Wear safety boots
- Pembinaan sedang dijalankan  
Construction work in progress
- Dilarang masuk tanpa kebenaran  
Unauthorised entry to this site is strictly forbidden

C023 1200 x 1800 mm

**TAPAK KESELAMATAN**  
SITE SAFETY

Di bawah Akta Keselamatan & Kesihatan 1994, setiap orang mesti mematuhi segala peraturan semasa berada di tapak pembinaan. Semua pelawat hendaklah melaporkan diri kepada pejabat pembinaan sebelum masuk di mana-mana kawasan tapak pembinaan. Papan tanda keselamatan dan tataletib mestilah dipatuhi dan alat-alat keselamatan mestilah digunakan sepanjang masa.  
Under The Health & Safety at Work Act 1994, all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed on to the side or any work area. Safety sign and procedures must be observed and personal protective equipment must be used at all time.

- Pembinaan sedang dijalankan  
Construction work in progress
- Gunakan topi & sepatu keselamatan  
Wear safety boots & helmets
- Dilarang masuk tanpa kebenaran  
Unauthorised entry to this site is strictly forbidden

C025 900 x 600 mm

**TENAGA NASIONAL BERHAD** TEL: 15454 NO:

**UTAMAKAN KESELAMATAN**  
PENCAWANG ELEKTRIK

**DILARANG MASUK**  
TANPA ORANG BERKEBENARAN

1245 x 1005 mm

## SAFETY CONDITION SIGNS

Safety condition signs providing information about safety equipment and conditions.

Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.



## WAY FINDING & EVACUATION SIGNS

Way finding & evacuation signs identify safe emergency exit and fire escape route.




Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.



# FIRE SAFETY SIGNS

Fire safety signs indicate fire safety actions and location of the fire fighting equipment.

Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.



# CHEMICAL LABELLING

Material available : Self-Adhesive Vinyl. High Impact PVC & Acrylic.



CHE001



CHE002



CHE003



CHE004



CHE005



CHE007



CHE008



CHE009



CHE006

# SCHEDULED WASTE LABELS

Material available : Self-Adhesive Vinyl

<b>SW 409</b>	
Name :	 
Company :	
Address :	
Tel :	
Date :	

SWL001 160 x 110 mm

<b>SW 104</b>	
Name :	
Company :	
Address :	
Tel :	
Date :	

SWL004 160 x 110 mm

<b>Caustic Soda</b>		
<b>RISIKO</b>	<b>RISK</b>	
R35 > Menyebabkan luka terbakar yang berat.	> Cause severe burns.	
R36/38 > Merangsang terhadap mata dan kulit.	> Irritating to eyes and skin.	
<b>KESELAMATAN</b>	<b>SAFETY</b>	
S2 > Jauhkan dari anak-anak.	> Keep out of reach of children.	
S26 > Jika bersentuhan dengan mata, segera bersihkan dengan air banyak-banyak dan segera dapatkan nasihat perawat.	> In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
S37/39 > Pakai sarung tangan dan pelindung wajah/ pelindung muka yang sesuai.	> Wear suitable gloves and eye/face protection.	
Supplier address: Tel:		

SWL010 215 x 150 mm

KOD BUANGAN	
NAMA BUANGAN	
TARIKH DIHASILKAN	
NAMA PENGELOUAR	
ALAMAT PENGELOUAR	
NO. TELEFON	

SWL013 210 x 297 mm

KOD BUANGAN	
NAMA BUANGAN	
TARIKH DIHASILKAN	
NAMA PENGELOUAR	
ALAMAT PENGELOUAR	
NO. TELEFON	
QUANTITY	

SWL020 150 x 200 mm

<b>SW 110</b>	
Date of waste generated:	
Name of waste generator:	
Telephone Number:	

SWL016 297 x 210 mm

<b>SW 204</b>	
Date of waste generated:	
Name of waste generator:	
Address of waste generator:	
Telephone Number:	

SWL017 297 x 210 mm

<b>SW</b>	
Date of waste generated:	
Name of waste generator:	
Address of waste generator:	
Telephone Number:	

SWL018 297 x 210 mm

<b>SW 322</b>	
Date of waste generated:	 
Name of waste generator:	
Address of waste generator:	
Telephone Number:	

SWL019 297 x 210 mm


# PHOTOLUMINESCENT FIRE EQUIPMENT AND WAY GUIDANCE SIGN

Material available : Self-Adhesive Vinyl, High Impact PVC & Acrylic.

EL001 600 x 200 mm	EL002 600 x 200 mm	EL003 600 x 200 mm	EL004 600 x 200 mm	EL007 600 x 200 mm						
EL008 600 x 200 mm	EL009 600 x 200 mm	EL010 600 x 200 mm	EL011 600 x 200 mm	EL012 600 x 200 mm						
EL013 600 x 200 mm	EL015 600 x 200 mm	EL016 600 x 200 mm	EL017 600 x 200 mm	EL018 600 x 200 mm						
EL019 600 x 200 mm	EL020 600 x 200 mm	EL022 600 x 200 mm	EL023 600 x 200 mm	EL024 600 x 200 mm						
EL025 300 x 200 mm	EL026 300 x 200 mm	EL027 300 x 200 mm	EL028 300 x 200 mm	EL029 300 x 200 mm	EL030 300 x 200 mm	EL031 300 x 200 mm	EL032 300 x 200 mm	EL033 300 x 200 mm	EL034 300 x 200 mm	
SL001 300 x 400 mm	SL002 300 x 400 mm	SL003 300 x 400 mm	SL004 300 x 400 mm	SL005 300 x 400 mm	SL006 300 x 400 mm	SL007 300 x 400 mm	SL008 300 x 400 mm	SL009 300 x 400 mm		
FL001 200 x 200 mm	FL002 200 x 200 mm	FL003 200 x 200 mm	FL004 200 x 200 mm	FL005 200 x 200 mm	FL006 200 x 200 mm	FL007 200 x 200 mm	FL009 600 x 200 mm	FL014 400 x 300 mm	FL015 150 x 300 mm	FL016 150 x 300 mm
FL017 100 x 300 mm	FL018 100 x 300 mm	FL019 200 x 300 mm	FL020 200 x 300 mm	3FL001 460 x 200 mm	3FL002 460 x 200 mm	3FL003 460 x 200 mm	3FL004 460 x 200 mm	3FL009 460 x 300 mm		
LL010 70 x 180 mm	LL011 70 x 180 mm	LL012 70 x 180 mm	LL013 70 x 180 mm	3FL005 310 x 225 mm	3FL006 310 x 225 mm	3FL007 310 x 225 mm	3FL008 310 x 225 mm	3FL010 460 x 300 mm		
LL003 300 x 100 mm	LL004 300 x 100 mm	LL005 200 x 50 mm	LL006 200 x 50 mm	LL007 80 mm x 5 m (per roll)	LL008 80 mm x 5 m (per roll)	LL009 80 mm x 5 m (per roll)	3FL011 460 x 300 mm			

## FLOOR SIGNS

## 3 Panels Barricade



## SAFETY TAGS

For identification, maintenance & lock out.



# Temporary Traffic Signs - JKR Arahan Teknik (Jalan) 2C/85

Material available : G.I. Sheet, Aluminium Composite Panel.

\* The signs can be customize based on client's specification.



TT001 1200 x 800 mm



TT002 1200 x 800 mm



TT003 1200 x 800 mm



TT004 1200 x 800 mm



TT005 1200 x 800 mm



TT006 1200 x 900 mm



TT007 1200 x 1000 mm




TT008 1200 x 1000 mm



TT009 1200 x 1000 mm



TT010 1200 x 1000 mm



TT011 1500 x 900 mm



TT012 1200 x 900 mm



TT013 1200 x 700 mm



TT014 1200 x 600 mm



TT015 1200 x 800 mm



TT016 1200 x 700 mm



TT017 1200 x 700 mm



TT018 1200 x 575 mm



TT019 1000 x 500 mm



TT023 600 mm Ø  
500 x 175 mm



TT024 600 mm Ø



TT025 600 mm Ø



TT026 600 x 600 mm  
600 x 320 mm



TT027 750 x 750 mm



TT028 750 x 750 mm



TT030 750 x 750 mm  
1000 x 250 mm



TT020 1200 x 1200 mm



TT021 1200 x 1200 mm



TT022 1200 x 1200 mm



TT030 1400 x 1200 mm



TT031 1200 x 1200 mm






TT033 900 x 1200 mm



TT035 900 x 1200 mm

# TRAFFIC SIGNS - JKR Arahan Teknik (Jalan) 2E/87

400 x 400 mm, 600 x 600 mm, 750 x 750 mm



**Headquarters:**

**Lumi Bright Sdn. Bhd.** ROC : 200501033048 (715188-U)

Lot 5998 (E-3), Jalan IKS Bukit Tengah,  
Taman IKS Bukit Tengah,  
14000 Bukit Mertajam, Penang, Malaysia.

**T** : +60 (4) 507 3151      **F** : +60 (4) 507 3152

**Email** : sales@lumibright.com

**Sales Hotline** : 1-700-81-5503

**Kuala Lumpur Branches:**

No. 65-2-55 Fadason Business Centre,  
Jalan 1/17, Taman Fadason,  
52200 Kepong, Kuala Lumpur, Malaysia.

**T** : +60 (3) 6734 0951      **F** : +60 (3) 6734 0952

**Sales Hotline** : 1-700-81-8143

**Melaka Branches:**

**Lumi Bright (Melaka) Sdn. Bhd.** ROC : 201101024378 (952514-M)

No. 25, Jalan TTC 26B,  
Taman Teknologi Cheng,  
75250 Melaka, Malaysia.

**T** : +60 (6) 337 3151      **F** : +60 (6) 337 3152

**Email** : melaka@lumibright.com