

**ALWAYS IN STOCK
BEST PRICE GUARANTEE**

SAFETY JOGGER WORKS

INDUSTRIAL PROFESSIONAL TACTICAL

LumiBright

Enquiry :  sales@lumibright.com

 Lumi Bright Sdn Bhd

Penang (Headquarter) :

Lumi Bright Sdn. Bhd. ROC: 200501033048
Lot 5998 (E-3), Jalan IKS Bukit Tengah,
Taman IKS Bukit Tengah,
14000 Bukit Mertajam, Penang, Malaysia.
Tel: +60(4) 507 3151 **Fax:** +60(4) 507 3152
Sales Hotline: 1-700-81-5503

Kuala Lumpur Branch :

No. 65-2-55 Fadason Business Centre,
Jalan 1/17, Taman Fadason,
52200 Kepong, Kuala Lumpur, Malaysia.
Tel : +60(3) 6734 0951
Sales Hotline: 1-700-81-8143

Melaka Branches :

Lumi Bright (Melaka) Sdn. Bhd. ROC: 201101024378
No. 25, Jalan TTC,
Taman Teknologi Cheng,
75250 Melaka, Malaysia.
Tel : +60(3) 6734 0951

WWW.SAFETYJOGGER.COM

LIGHTWEIGHT COLLECTION



ABSOLUTE S1P SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midssole	Puncture resistant lightweight
Lining	Breathable technomesh
Insole	SJ Hybrid
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



LIGERO S1P SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midssole	Puncture resistant lightweight
Lining	Breathable technomesh
Insole	SJ Hybrid
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31

HIKING COLLECTION



X200031 S3 SRC

Sole	BASF PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 37-47 • UK 3.5-12 • US 4-13 • CM 24-31



X2020P31 S3 SRC

Sole	BASF PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



CLIMBER31 S3 SRC

Sole	BASF PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



JUMPER31 S3 SRC

Sole	BASF PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



ORION S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



GOBI S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S1P / SRC
Size Range	EU 35-46 • UK 3-11 • US 3-12 • CM 23-30



DAKAR S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



RUSH S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



SAHARA S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



DESERT S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31

SPORTS COLLECTION



BALTO S1 SRC

Sole	Phylon/Rubber
Toecap	Steel
Midssole	-
Lining	Imbkmesh
Insole	Ergonomic breathable SJ Hybrid
Category	S1 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



BALTO S1 SRC

Sole	Phylon/Rubber
Toecap	Steel
Midssole	-
Lining	Imbkmesh
Insole	Ergonomic breathable SJ Hybrid
Category	S1 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



SPEEDY S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



TURBO S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



RAPTOR S1P

SRC

Sole	Phylon+Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



XPLORE S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



HEAVY DUTY COLLECTION



ULTIMA S3

SRC ESD HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax® / Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC HRO ESD
Size Range	EU 37-48 • UK 4-13 • US 4.5-13.5 • CM 24-31.5



METEOR S3

SRC HRO

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Alaskafelt
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



VOLCANO S3

SRC ESD WR

Sole	PU/PU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax® / cosmo
Insole	Soft Impact Foam
Category	S3 / SRC ESD WR
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



LAVA S3

SRC ESD WR

Sole	PU/PU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax® / cosmo
Insole	Soft Impact Foam
Category	S3 / SRC ESD WR
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



MARS EH SB

ELECTRICAL HAZARD PROTECTION 18KV

SRC

Sole	PU/TPU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	SB / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 • CM 23.5-31



PLUTO EH SB

ELECTRICAL HAZARD PROTECTION 18KV

SRC

Sole	PU/TPU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	SB / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



COSMOS S3

SRC

Sole	PU/TPU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NOVA S3

SRC

Sole	PU/TPU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW

X430 S3

SRC ESD WR HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Insole	SJ-Hybrid
Category	S3 / SRC ESD WR HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW

X330 S3

SRC ESD WR HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Insole	SJ-Hybrid
Category	S3 / SRC ESD WR HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



DYNAMICA S3 ENERGETICA S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31 EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



VALLIS S3 MONTIS S3

SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31





POWER2 S3

SRC HRO HI

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Leather/Coolmax®
Insole	Premoulded
Category	S3 / SRC HRO HI
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



WORKERPLUS S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



CLASSIC COLLECTION



EOS S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



AURA S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



X1100N S3

SRC

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



X1110 S3

SRC

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



BESTFIT S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



MANAGER S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 5-12 • US 5.5-13 • CM 25-31



BESTBOY231 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



BESTRUN231 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BESTBOY251 S3

SRC HRO

Sole	BASF PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BESTRUN251 S3

SRC HRO

Sole	BASF PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BESTBOY S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S3 / SRC
Size Range	EU 36-48 • UK 3-13 • US 3-13.5 • CM 23-31.5



BESTRUN S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 US 3-13 • CM 23-31



SAFETYBOY S1P

SRC

Sole	PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 • CM 23.5-31



SAFETYRUN S1P

SRC

Sole	PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 • CM 23.5-31

NEW YUKON S1P SRC



Sole	PU/PU
Toecap	Steel
Midssole	Puncture resistant SJ FLEX
Lining	Nalo Mesh
Insole	SJ Hybrid
Category	S1P / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31

ADVANCE S1P ELEVATE S1P SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 37-47 • UK 4-12 • US 4.5-13 • CM 24-31



SHOES FOR CREWS & FOOD COLLECTION



X1100N81 S3 SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5



X111081 S3 SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5



DOLCE81 S3 SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 13-12 • US 13.5-13 • CM 23-31.5



GUSTO81 S3 SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 • CM 23-31.5



ROCKET81 S1P SRC HRO



Sole	Phylon/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Insole	Soft Impact Foam
Category	S1P / SRC HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5



BRIO S2 LIGHTWEIGHT SRC ESD



Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midssole	-
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S2 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



X0500 S2 SRC



Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Nylon
Insole	Soft Impact Foam
Category	S2 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



DOLCE S3 SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	SB / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



CORTADO SB SRC



Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Imbkmesh
Insole	Ergonomic breathable SJ Hybrid
Category	SB / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



GUSTO S2 SRC



Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S2 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



BESTLIGHT1 SRC



Sole	EVA/Rubber
Toecap	-
Midssole	-
Lining	EVA
Insole	EVA
Category	SB / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



POSEIDON S4 SRA



Sole	PVC
Toecap	Steel
Midssole	-
Lining	Textile
Insole	-
Category	S4 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW

DEBBIE S3

SRC ESD

Sole	Rubber
Toecap	Aluminum
Midsole	Puncture resistant SJ FLEX
Lining	Mesh
Insole	SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



CERES S3

SRC

Sole	Rubber
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 • CM 23.5-27



BOTANIC S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 • CM 23-27



ORGANIC S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 • CM 23-27



BESTGIRL S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 • CM 23.5-27



SEASONAL COLLECTION



BOREAS2 S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Premoulded
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



BESTBOOT2 S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Insole	Premoulded
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NORDIC S3

WARM LINING
SRC CI

Sole	PU/TPU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Fur
Insole	Fur
Category	S3 / SRC CI
Size Range	EU 38-46 • UK 5-11 • US 5.5-12 • CM 25-30



BESTBOY252 S3

WARM LINING
SRC HRO CI

Sole	BASF PU/rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon + fur
Insole	Fur
Category	S3 / SRC HRO CI
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5



SONORA S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



FORZA S1P

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Coolmax®
Insole	Soft Impact Foam
Category	S1P / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



HERCULES S5

SRA

Sole	PVC
Toecap	Steel
Midsole	Steel
Category	S5 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31

GLOVES COLLECTION



NEW

PROSHIELD 4X42F

1 PACKS



TOUCHSCREEN GLOVE

- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



NEW

PROCURT 4X42D

1 PACKS



TOUCHSCREEN GLOVE

- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- DMF free
- Anti cut level 5/D
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



PROTECTOR 4X44C

BULK

- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black foamed nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



SHIELD 4X43C

1 PACKS

- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



TOUCHSCREEN GLOVE

ALLFLEX 4132X

1 PACKS

- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11



CONSTRUCTO 3243X

1 PACKS

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11



TOUCHSCREEN GLOVE

ALLFLEX 4132X

BULK

- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11



PROSOFT 3121X

BULK

- Polyester glove
- Grey foam nitrile coating
- Oil resistant
- Sizes 7, 8, 9, 10 and 11



SUPERPRO 4121X

BULK

- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 8, 9, 10 and 11



MULTITASK 4131X

BULK

- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 8, 9, 10 and 11

ACCESSORIES



SJSOCK2

3 PACKS

150 PAIRS PER CARTON
4 SIZES IN 1

Material 75% cotton - 23% polyester - 2% elastic
Sizes EU 39/42 - 43/47
UK 6/8 - 9/12
US 6.5/9 - 10/13
CM 25.5/27 - 28/31



SJCOMFORT

48 PAIRS PER SIZE/CARTON

Specifications Extra comfortable heel support
Ultra high ergonomic comfort
Air breathability technology
Arch support
Coolmax®

Sizes EU 36/38 - 39/41 - 42/44 - 45/47
UK 3.5/5 - 6/7 - 8/10 - 10.5/12
US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13
CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31



GLOVES | 120 pairs in export carton per size, per model.

SJSOCK2 | single package per 3 pairs - 150 pairs per carton.

SJCOMFORT | 48 pairs per carton.

CLOGS COLLECTION



SMOOTH OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA + rubber outsole
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 240 gr. per shoe
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 • CM 23.5-30



SONIC OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



OXYCLOG OB

SRA ESD

Standard	CE standard EN ISO 20347 OB SRA ESD
Slip resistant	SRA
Anti-static	ESD
Material	TPE (thermoplastic elastomer)
Insole	Removable
Maintenance	Autoclavable at 135°C Washable at 90°C Chemically and UV sterilisable
Weight	ca. 240 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



OXYVA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Insole	Removable
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 200 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



OXYSAFE PB

SRC ESD

Standard	CE standard EN ISO 20346 PB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Safety toe cap	Composite 100 Jules
Material	EVA
Insole	Removable
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 280 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



BESTLIGHT 01 OB

SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA + rubber outsole
Insole	Removable
Safety toe cap	-
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. per shoe
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 • CM 23.5-30



SAFETYCLOG OB

SRC

Standard	CE standard EN ISO 20346 OB SRC
Slip resistant	SRC
Anti-static	-
Safety toe cap	Composite 100 Joules
Material	EVA+Rubber outsole
Insole	Removable
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



BESTCLOG OB

SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA+Rubber outsole
Insole	Removable
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



MOVE UP COLLECTION



SALMA OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



LUCIA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

MOVE COLLECTION



EVA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



DORIA OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



NELIE 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT FUX BLK



LILIA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT FUX BLK



OLGA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Not Removable
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT LBL

LITEWALK COLLECTION

NEW



LAUREN 0B

SRC ESD

Standard	EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather
Lining	Coolmax®
Insole	Not Removable
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

BLK

MEDILOGIC COLLECTION



EMILY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

LBL



CANDY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



SUZY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

FLR FUX LIC

LBL



IRIS 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

MOTION COLLECTION



EVAN 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 320 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 • CM 25.5-30

BLK



ROY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 280 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 • CM 25.5-30

WHT



REMY 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 260 gr. per shoe
Size Range	EU 37-46 • UK 4-11 • US 4.5-12 • CM 24-30

WHT

BIO OXY COLLECTION



JEFF 0B

SRC

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather
Lining	Coolmax®
Insole	Anatomically shaped footbed
Weight	ca. 360 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 • CM 25.5-30

WHT



BIANCA 0B

SRC

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather
Lining	Coolmax®
Insole	Anatomically shaped footbed
Weight	ca. 290 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT BLK

NEW

DUBLIN 0B

SRA



Standard CE standard EN ISO 20347 OB SRA
 Slip resistant SRA
 Anti-static -
 Material Leather
 Lining Coolmax®
 Insole Not removable
 Weight ca. 250 gr. per shoe
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



NEW

BERLIN 0B

SRA



Standard CE standard EN ISO 20347 OB SRA
 Slip resistant SRA
 Anti-static -
 Material Leather
 Lining Coolmax®
 Insole Not removable
 Weight ca. 250 gr. per shoe
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



JULINE 0B

SRA



BLK

Standard CE standard EN ISO 20347 OB SRA
 Slip resistant SRA
 Anti-static -
 Material Synthetic leather
 Lining Coolmax®
 Insole Not Removable
 Weight ca. 250 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



JULIA 0B

SRC



BLK



WHT

Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 190 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



OLIVE 01

SRC ESD



BLK



WHT

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 220 gr. per shoe
 Size Range EU 35-44 • UK 3-9.5 • US 3-12 • CM 23-28.5



BLK



WHT

COLETTE 01

SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 220 gr. per shoe
 Size Range EU 35-44 • UK 3-9.5 • US 3-10.5 • CM 23-28.5



LUCA 01

SRC ESD



LGR



NAV

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material 3D mesh + nylon
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 390 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13 • CM 25.5-31



LBL



FUX

LGR

KARLA 01

SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material 3D mesh + nylon
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 240 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



CLARK 01

SRC ESD



NAV



BLK

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 390 gr. per shoe
 Size Range EU 40-47 • UK 7-12 • US 7.5-13 • CM 26-31



FUX

PAOLA 01

SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 330 gr. per shoe
 Size Range EU 36-42 • UK 3.5-8 • US 4-9 • CM 23.5-27



OXYSPORT COLLECTION

JUSTIN 01

SRC ESD



NAV

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 450 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13 • CM 25.5-31



ELA 01

SRC ESD



LIC



FUX

LBL

LGR

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 354 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



ROMAN 01

SRC ESD



BLK

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 250 gr. per shoe
 Size Range EU 40-47 • UK 7-12 • US 7.5-13 • CM 26-31



PATRICIA 01

SRC ESD



LPK



BLK

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 250 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



JAMES OB

SRA



BLK



LGR NAV

Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	SRA
Anti-static	-
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 310 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 • CM 25.5-31



MAUD OB

SRA



FUX



WHT NAV LGR

Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	SRA
Anti-static	-
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 310 gr. per shoe
Size Range	EU 36-42 • UK 3.5-8 • US 4-9 • CM 23.5-27



ACCESSORIES

OXYFOAM

PER 24 PAIRS



Specifications	Maximum cushioning Reduces muscle, foot, knee and back pain ESD standard ensures the dissipation of electrostatic charges 3 sizes in 1: adjustable to every foot Coolmax®
Size Range	3 sizes in 1, adjustable to every foot: 36/37/38 and 39/40/41

3 sizes in 1, adjustable to every foot:
36/37/38 and 39/40/41

OXYSOCKS

160 PAIRS/SIZE OR MIXED



Specifications	74% cotton, 16% spandex, 10% polyester Washable at 40°C
Size Range	Available in 3 sizes: 35/37 - 38/40 - 41/42

Available in 3 sizes:
35/37 - 38/40 - 41/42

ORDER ONLINE | order.safetyjogger.com

SAFETY JOGGER
TACTICAL

TACTICAL

SECURITY COLLECTION



DRAGON S3

LIGHTWEIGHT
SRC ESD



Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

KOMODO S3

LIGHTWEIGHT
SRC ESD



Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

LAW ENFORCEMENT COLLECTION



TROOPER S3

SRC WR HRO



Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ Flex
Lining	Coolmax® + unbranded waterproof membrane
Insole	Ergonomic breathable SJ Hybrid
Category	S3 / SRC WR HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5

EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5



COOLMAX

ARMOUR 02

SRC WR FO HRO



Sole	Phylon/Rubber
Toecap	-
Midsole	-
Lining	Coolmax® + Sympatex® moisture tech membrane
Insole	Ergonomic breathable SJ Hybrid
Category	02/SRC WR FO HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5

EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5



SYMPATEX

COOLMAX

SHARK S3

LIGHTWEIGHT
SRC ESD WR



Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh + unbranded waterproof membrane
Insole	Ergonomic breathable SJ hybrid
Category	S3/SRC ESD WR
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31



TACTIC OB

SRA FO HRO



Sole	Rubber
Toecap	-
Midsole	-
Lining	Breathable technomesh
Insole	Soft Impact Foam
Category	OB / SRA FO HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



DUNE OB

SRA FO HRO



Sole	Rubber
Toecap	-
Midsole	-
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	OB/SRA FO HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31

